



A

About This Guide v

AC power

connecting to chassis 3-13

analog subscriber connector

connecting to analog equipment 3-13

B

back-up power

connecting battery box to chassis 3-14

battery box

LEDs 1-5

specifications A-2

brackets

attaching to chassis (figure) 3-5

attaching wall-mount (figure) 3-6

identifying (figure) 3-2

installing, front panel forward (figure) 3-3, 3-4

installing, rear panel forward (figure) 3-4

telco, installing (figure) 3-4

brackets, installing 3-2 to 3-7

C

caution

for desk and table mounting 3-2

chassis

front panel 1-2

rack-mounting 3-2

rear panel 1-3

wall-mounting 3-6

Cisco 6732

interoperation with Cisco IAD1101 1-1

console port

connecting to EMS workstation 3-10

D

desktop

mount caution 3-2

documentation

organization v

related publications vi

E

EIA/TIA-232

console port connections 3-10

ESD-preventative strap 3-8

Ethernet port

connecting to EMS workstation 3-10

connecting to network 3-11

LEDs 1-4

F

FXS

connections 3-13

integrated circuits 1-6

FXS/16 line interface module 1-6

LEDs 1-7

H

hardware specifications **A-1**

I
installation

rack-mount **3-2**
 wall-mount **3-6**

L

LAN connections **3-11**

LEDs

battery box **1-5**
 Ethernet port **1-4**
 FXS/16 line interface module **1-7**
 serial (V.35) port **1-4**
 system **1-3**
 T1 port **1-5**

lightning activity warning **3-11**

line interface modules **1-6**

FXS/16 **1-6**
 installing **3-8**
 removing **3-9**

M

mounting chassis on wall (figure) **3-7**

N
network connections

FXS **3-13**
 LAN **3-11**
 serial (V.35) **3-13**
 WAN **3-12**

P
power connections

AC **3-13**
 battery back-up box **3-14**
 powering down the chassis **3-15**

R
rack equipment

installation **3-2**
 removing modules **3-9**

S

safety extra-low voltage (SELV) circuits warning **3-11**

serial (V.35) port

connecting to network **3-13**

serial port

LEDs **1-4**

subscriber connector

connecting to analog equipment **3-13**

T
T1 port

connecting to network **3-12**

description **1-6**

LEDs **1-5**

table-mount caution **3-2**

V
V.35 port

connecting to network **3-13**

LEDs **1-4**

W

wall-mounting the chassis **3-6**

WAN connections **3-12**

warning

 lightning activity **3-11**

 safety extra-low voltage (SELV) circuits **3-11**

wrist strap **3-8**

