



Cisco Application Networking for IBM Lotus Domino Web Access

Faster Downloads and Site Navigation, Less Bandwidth and Server Processing, and Greater Availability for Global Deployments

What You Will Learn

To address challenges associated with today's business-critical enterprise application deployments, Cisco®, in collaboration with IBM®, offers Cisco Application Networking for IBM Lotus® Domino® Web Access®, an enterprise network architecture with best practices and implementation guidance that optimizes application availability, performance, and security and lowers application ownership costs. See Figure 1.

Domino Web Access (formerly IBM Lotus iNotes Web Access) is a Web application that gives end users Domino messaging and collaboration features that were previously available only with a Lotus Notes client. Domino Web Access allows users to access e-mail, calendars, documents, presentations, spreadsheets, and applications quickly from a single interface. As a result, they can collaborate using features such as integrated instant messaging and use essential enterprise applications, create documents, and search the Web from the Lotus Notes software interface.

This document shows how Cisco Application Networking for IBM Lotus Domino Web Access addresses the following business challenges for IBM Lotus Domino Web Access deployments through data center and WAN application optimization services from the Cisco Application Control Engine (ACE) and Wide Area Application Services (WAAS) Software products:

- Application response time and bandwidth utilization over limited WAN connections
- Recovery time and point objectives for business continuity
- Application, server, network, and service oriented architecture (SOA) security
- Reduced capital and operational costs for applications, servers, and networking

The solution uses Cisco WAAS to provide performance benefits on the WAN and the Cisco ACE Module to reduce resource load on the servers. Individually, Cisco WAAS and ACE provide a unique benefit to the solution, and when used in conjunction as the solution becomes more complex, they provide additional gains.


Cisco ACE reduces resource load on the servers by load balancing the data that is bound for the servers. Cisco ACE also provides SSL offload and TCP reuse functions. TCP reuse reduces load on the server CPU by reducing the number of TCP sessions that must be processed by the server. Secure Sockets Layer (SSL) offload reduces the load on the server CPU by allowing Cisco ACE, instead of the server, to terminate the SSL connection.

Cisco WAAS provides performance benefits to the IBM Lotus Domino Web Access portal by optimizing the traffic flowing across the WAN and caching data on the local Cisco WAAS device. The cached data reduces the amount of traffic flowing across the WAN and allows more transactions to occur by utilizing the recovered bandwidth.

Specific tests of this solution show up to 5 times faster downloads, faster site navigation, and 3.7 times less bandwidth usage for IBM Lotus Domino Web Access deployments when paired with

Cisco Application Networking solutions. Additional solution benefits include increased number of transactions processed and increased application security and availability.

Figure 1. Cisco Application Networking for IBM Lotus Domino Web Access



Business Challenge

In today's globally networked economy, enterprise application availability and performance are tightly linked to business success and profitability, and as a result application stakeholders are faced with new challenges. As applications are enhanced to automate new business processes and serve geographically dispersed user populations, increased complexity may affect service level and productivity. To serve a geographically diverse user base and reduce the cost of deployment, enterprise application deployments are likely to be run from a regional data center, serve users through Web browsers and standard Internet protocols, and use SOA to process data from diverse sources. This new business environment and associated application architecture intensifies four major IT challenges, each of which can be addressed by a strong enterprise network architecture using Cisco Application Networking for IBM Lotus Domino Web Access:

- **Application availability challenges:** Increasing business dependence on fewer but larger applications deployed in a central location requires a more careful look at application architecture, including single points of failure and product stability, to achieve recovery time and point objectives.
- **Application performance challenges:** Limited WAN links and inefficient standard Internet protocols such as HTTP and Extensible Markup Language (XML) result in poor application performance and bandwidth utilization for global users. In addition, increased demand on large applications in centralized data centers results in overload on servers that slows application response time.
- **Application security challenges:** Significantly increased business risk results from application security breaches from malicious or innocent end users or SOA Web service requests that attack application, server, or operating system vulnerabilities.
- **Application ownership cost challenges:** The increasing scope of application business logic and geographically and organizationally dispersed users, coupled with higher availability, performance, and security needs, requires a new approach to application support to keep costs in line with lean budgets.

Given these significant challenges, it is increasingly important to turn to application-savvy infrastructure vendors, such as Cisco, whose solutions cost-effectively address today's business-level application and IT challenges, and who are committed to rigorous feature and system quality testing and global and local language support 24 hours a day and have a strong history of security expertise. (See Table 1.)

Table 1. Application-Savvy Infrastructure Vendor Requirements for Today's Enterprise Application Deployments

Requirements
<ul style="list-style-type: none"> • Strong application optimization solutions • Minimized application ownership costs • Rigorous feature and system quality testing • Global and local language 24-hours-a-day support • Outstanding security history and experience • Strategic partnerships with application vendors

Equally important is an application infrastructure vendor that partners with leading application vendors, such as IBM, to yield tested, documented, and validated joint architectures that optimize application availability, performance, and security and lower application ownership costs.

Business Benefits

The Cisco Application Networking for IBM Lotus Domino Web Access solution offers optimized application availability, performance, and security and reduced deployment costs by providing application optimization services as described here.

IBM Lotus Domino Web Access Application Availability

Cisco ACE application optimization services for high availability:

- Cross-data center load balancing: Efficiently routes end-user and Web services requests to the best available data center
- Application health monitoring: Continuously and intelligently monitors application and database availability
- Server load balancing: Efficiently routes end-user and Web services requests to the best available server
- Network platform health monitoring: Helps ensure continuity of business operations through mirroring of end-user transaction states across pairs of network devices

IBM Lotus Domino Web Access Application Performance

Cisco ACE and WAAS application optimization services for high performance:

- WAN optimization: Provides intelligent caching, compression, and protocol optimization that yields up to 5 times faster downloads, faster site navigation, and 3.7 times reduction in bandwidth usage (see Tables 5, 6 and 7 later in this document).
- Server offloading: Provides specialized hardware that offers greater processing efficiency for the application optimization services listed in Table 2, freeing application server processing and memory to focus on business logic computations

Table 2. Services Offloaded from Servers by the Solution

Service	Description
Cross-Data Center Load Balancing	Provides site selection capability

Service	Description
Server Load Balancing	Shares load across available servers
SSL Termination	Increases number of connections per second
TCP Connection Management	Reduces number of TCP connections to server
Application Health Monitoring	Helps ensure validity of server requests
Traffic Compression	Increases throughput
Object Caching	Reduces number of requests to server
XML Schema Validation	Increases number of schema validations per second

IBM Lotus Domino Web Access Application Security

Cisco ACE application optimization services for optimized data security:


- SSL termination: Efficiently encrypts and decrypts SSL-enabled traffic, which facilitates the use of intrusion detection and prevention solutions before traffic reaches the servers, reduces server CPU usage, and centralizes certificate management
- End-user access control: Provides access control lists (ACLs) to protect client-to-server traffic from worms and intruders that attack vulnerable open server ports not used by the application
- XML firewall: Examines SOA Web services requests for compliance with schemas and protects against identity, message-format, and denial-of-service (DoS) attacks

IBM Lotus Domino Web Access Ownership Cost

Cisco Application Networking for IBM Lotus Domino Web Access reduces application capital and operating costs through the following:

- Server cost reduction: Offloading of the application optimization services listed in Table 2 from servers to cost-effective network devices frees server processing and memory, allowing resources to focus on business logic computation.
- Networking cost reduction: Virtualization of application optimization services supplies the services listed in Table 2 for multiple IBM Lotus Domino Web Access servers as well as other enterprise applications (see Figure 2).

Figure 2. Virtualization of Application Optimization Services



- Operating costs reduction: Application optimization services reduce operating costs as shown in Table 3.

Table 3. Operating Cost Reduction from Application Optimization Services

Cost Reduction	Description
WAN Bandwidth Usage	Up to 3.7 times savings
Server Power, Cooling, Space, and Administration	Increased costs savings
Application Deployment Administration	Up to 250 virtual application services

Solution

Cisco Application Networking for IBM Lotus Domino Web Access combines the Cisco ACE and WAAS platforms with the IBM Lotus Domino Web Access architecture to provide optimized availability, increased performance, enhanced security, and reduced cost of ownership.

IBM Lotus Domino Web Access with Cisco ACE

Within the IBM Lotus Domino Web Access architecture, scaling to handle more end users requires the addition of IBM Lotus Domino Web Access application server instances, which creates the need for load balancing. Cisco ACE provides server load balancing and SSL termination in addition to end-user access control, server health monitoring, and TCP connection management.

Virtualization within Cisco ACE allows a single active-active pair of Cisco ACE products to serve multiple IBM Lotus Domino Web Access applications as well as other enterprise applications. Also, if Cisco ACE is already deployed in the data center, additional virtualized contexts can be added to accommodate new Lotus Domino Web Access applications without the need to order and configure additional equipment.

Additionally, Cisco ACE virtualized contexts can be created using Cisco ACE role-based access control (RBAC), which constrains the commands and actions for unique application, database, security, and systems management administrators. Cisco ACE comes prepackaged with a number of predefined roles, and others can be customized as needed.

Cisco ACE specifically provides server load-balancing session persistence for IBM Lotus Domino Web Access through the cookie sticky methodology. Also, if the application architecture requires, Cisco ACE can decrypt SSL traffic for SSL offload and for intrusion detection and prevention. For end-to-end security, Cisco ACE can then reencrypt traffic to the server. Because the database is typically a clustered single instance, Cisco ACE is not used at that part of the architecture.

IBM Lotus Domino Web Access with Cisco WAAS


Completing transactions on applications running on IBM Lotus Domino Web Access involves numerous components of the application architecture, including the client, application servers, database servers, storage hardware, networking hardware, LANs, and WANs. (See Figure 3.)

Each transaction typically requires several steps that, when requested by a remote user, travel over the WAN and introduce network delay that slows end-user performance. When network delay is significant due to constrained or overburdened bandwidth, distance of users to servers, or a high number of steps to complete a transaction, end-user performance and bandwidth utilization improvement can be achieved through Cisco WAAS technologies such as data redundancy elimination (DRE), TCP flow optimization (TFO), and compression.

When Cisco WAAS TFO was used with IBM Lotus Domino Web Access, tests showed significant

round-trip time and bandwidth reduction, as described in the “Testing” section later in this document.

Figure 3. Cisco Application Networking Architecture for IBM Lotus Domino Web Access




Solution Deployment

Cisco ACE, ACE XML Gateway, and WAAS reside in the data center and can provide virtualized application optimization services for multiple IBM Lotus Domino Web Access deployments as well as other enterprise applications.

Because of their unique location, these solutions can take intelligent action on end-user traffic before it is routed to the IBM Lotus Domino Web Access application servers, including load balancing, server health monitoring, SSL decryption, TCP connection consolidation, and security access control (see Figure 4). Cisco Application Networking for IBM Lotus Domino Web Access provides these services cost effectively, freeing server processing and memory.


Figure 4. Data Center Application Optimization Services



Cisco WAAS also resides in the branch office and can provide virtualized application optimization services for all application users in that location. The Cisco WAAS data center and branch-office deployments together offer a WAN optimization service through the use of intelligent caching, compression, and protocol optimization.

When the IBM Lotus Domino Web Access application servers respond to end-user requests, the response is most efficiently passed across the WAN, with minimal bandwidth usage and maximum speed. Commonly accessed information is cached both at the Cisco WAAS solution in the branch and in the Cisco ACE solution in the data center, significantly reducing the burden on the servers and the WAN. (See Figure 5.)

Figure 5. WAN Application Optimization Services



The recommended best practices and implementation guidance for Cisco Application Networking for IBM Lotus Domino Web Access, including specific configurations for each Cisco network solution, can be found in the Cisco Application Networking for IBM Lotus Domino Web Access Deployment Guide at <http://www.cisco.com/go/optimizemyapp>.

The Cisco ACE solution can be deployed in the data center as a module in the Cisco Catalyst[®] 6500 Series Switches or as an appliance. Cisco WAAS can be deployed in the branch office as a module in Cisco Integrated Services Routers or as an appliance.

Testing

Cisco, in collaboration with IBM, conducted a series of function, load, and performance tests that resulted in the Cisco Application Networking for IBM Lotus Domino Web Access architecture, best practices, and implementation guidance.

Cisco WAAS Performance Testing

Two types of user transaction tests were conducted: site navigation and document downloads using 1-MB and 2-MB documents. An automated testing tool was used to simulate user transactions. Two simulated WAN links were tested to represent typical branch office-to-data center connections, as shown in Table 4.

Table 4. Cisco WAAS for IBM Lotus Domino Web Access: Two Simulated WAN Links

Description	Bandwidth	Round-Trip Latency	Packet Loss
Intracontinental	1.544 Mbps	100 ms	0.1%
Intercontinental	512 Kbps	200 ms	0.2%

Representative summaries of test results for user performance improvements in site navigation and document downloads are shown in Tables 5 through 7 and Figures 6 and 7.

Table 5. Cisco WAAS for IBM Lotus Domino Web Access: Site Navigation Performance Improvement

WAN Link	Average	Highest
Intracontinental	10% faster	30% faster
Intercontinental	39% faster	42% faster

Table 6. Cisco WAAS for IBM Lotus Domino Web Access: Document Download Performance Improvement

WAN Link	1-MB Word Document	2-MB Word Document
Intracontinental	3.9X faster	4.2X faster
Intercontinental	4.4X faster	5.0X faster

Figure 6. Performance for Document Download on Intercontinental Link Is 4.4X Faster for 1-MB Word File and 5.0X Faster for 2-MB Word File





Table 7. Cisco WAAS for IBM Lotus Domino Web Access: Bandwidth Utilization Improvement

WAN Link	Site Navigation	Document Download
Intracontinental	1.3X less	3.5X less
Intercontinental	1.4X less	3.7X less

Figure 7. Bandwidth Usage for Document Download on Intercontinental Link Shows Savings of 3.7X per Transaction



From these results, it is clear that there are strong network performance benefits to be gained by adding Cisco WAAS in situations with geographically far-reaching IBM Lotus Domino Web Access deployments with high-latency or low-speed WAN connections.

Representative summaries of test results for bandwidth utilization improvements for document download transactions without and then with Cisco WAAS showed up to 3.7X decrease in bandwidth utilization. As with conclusions drawn from the performance tests, it is clear that strong cost savings can be achieved by deploying Cisco WAAS for IBM Lotus Domino Web Access for specific scenarios.

Cisco ACE Function Testing

Cisco ACE function tests succeeded and the deployed configurations were documented for these tests, which included the following features: server load balancing with persistence, server health monitoring, TCP connection management, and end-user access control.

Statement of Cooperation

Cisco and IBM cooperated in all phases of the Cisco Application Networking for IBM Lotus Domino Web Access testing, including lab setup at Cisco offices, solution function and performance testing, and solution overview and deployment guide documentation. Cisco and IBM jointly validate that the lab setup and solution testing represents best efforts in creating a realistic customer deployment and accurate documentation of such deployment.

For Further Information

<http://www.cisco.com/go/applicationservices>.

<http://www.cisco.com/go/ace>.

<http://www.cisco.com/go/waas>.

<http://www.cisco.com/go/ibm>.

<http://www.ibm.com/cisco>.



Americas Headquarters
Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
www.cisco.com
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 527-0883

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
168 Robinson Road
#28-01 Capital Tower
Singapore 068912
www.cisco.com
Tel: +65 6317 7777
Fax: +65 6317 7799

Europe Headquarters
Cisco Systems International BV
Haarlerbergpark
Haarlerbergweg 13-19
1101 CH Amsterdam
The Netherlands
www-europe.cisco.com
Tel: +31 0 800 020 0791
Fax: +31 0 20 357 1100

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

CCVP, the Cisco logo, and Welcome to the Human Network are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, IP/TV, IQ Expertise, the IQ logo, IQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networkers, Networking Academy, Network Registrar, PIX, ProConnect, ScriptShare, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0711R)